

## Cartridges Allowed at NRC

- Maximum calibre 8mm / 0.325" for jacketed projectiles
- Maximum avg muzzle energy of 4184 ft/lbs
- Lead projectiles up to 19.05mm / 0.75" may be used

Cartridge	Calibre	Avg Muzzle Energy ft/lbs	Status
.57 T-Rex Snipex	0.57	24520	Not Allowed
.50 BMG	0.51	12600	Not Allowed
.458 Win Mag	0.458	5063	Not Allowed
.45-70 Govt	0.458	3138	Not Allowed
.450 Bushmaster	0.452	2810	Not Allowed
.444 Marlin	0.429	3067	Not Allowed
.44 Magnum	0.429	1440	Not Allowed
.44-40 Winchester	0.427	650	Not Allowed
.416 Ruger	0.416	5498	Not Allowed
.416 Rigby	0.416	5166	Not Allowed
.416 Remington Magnum	0.416	5123	Not Allowed
.378 Weatherby Magnum	0.375	6004	Not Allowed
.375 Ruger	0.375	4780	Not Allowed
.375 H&H Magnum	0.375	4560	Not Allowed
9.3 x 62mm Mauser	0.366	4017	Not Allowed
.35 Whelen	0.358	3932	Not Allowed
.350 Legend	0.357	1907	Not Allowed
.357 Magnum	0.357	800	Not Allowed
.338-378 Weatherby Magnum	0.338	5035	Not Allowed
.338 Lapua Magnum	0.338	4851	Not Allowed
.33 Nosler	0.338	4799	Not Allowed
.338 RUM	0.338	4694	Not Allowed
.340 Weatherby Magnum	0.338	4674	Not Allowed
.338 Win Mag	0.338	4164	Not Allowed
.338 Federal	0.338	3340	Not Allowed
.325 WSM	0.323	3596	Not Allowed
.30-378 Weatherby Magnum	0.308	4666	Not Allowed
32-20 Winchester	0.3125	210	Allowed
.300 RUM	0.308	4135	Allowed
.30 Nosler	0.308	4111	Allowed
.300 Weatherby Magnum	0.308	4092	Allowed
.300 PRC	0.308	3945	Allowed
.300 Winchester Magnum	0.308	3827	Allowed
.300 WSM	0.308	3718	Allowed
.30-06 Springfield	0.308	3179	Allowed

<b>Cartridge</b>	<b>Calibre</b>	<b>Avg Muzzle Energy ft/lbs</b>	<b>Status</b>
.300 Ruger (RCM)	0.308	2948	Allowed
.308 Winchester	0.308	2784	Allowed
.30-30 Winchester	0.308	1942	Allowed
7.62 x 39mm	0.308	1608	Allowed
.300 Blackout	0.308	998	Allowed
.28 Nosler	0.284	3678	Allowed
7mm Weatherby Magnum	0.284	3482	Allowed
7 WSM	0.284	3255	Allowed
7mm Rem Mag	0.284	3122	Allowed
.280 Ackley Improved	0.284	2952	Allowed
.280 Remington	0.284	2873	Allowed
7mm-08 Remington	0.284	2528	Allowed
7mm Mauser	0.284	2330	Allowed
.27 Nosler	0.277	3513	Allowed
.270 Weatherby Magnum	0.277	3176	Allowed
.270 WSM	0.277	3072	Allowed
6.8 Western	0.277	3011	Allowed
.270 Winchester	0.277	2862	Allowed
6.8 Remington SPC	0.277	1624	Allowed
6.5-300 Weatherby Magnum	0.264	3395	Allowed
.26 Nosler	0.264	3125	Allowed
6.5 Weatherby RPM	0.264	3098	Allowed
6.5 PRC	0.264	2780	Allowed
.264 Winchester Magnum	0.264	2766	Allowed
6.5-284 Norma Match	0.264	2462	Allowed
.260 Remington	0.264	2273	Allowed
6.5 Creedmoor	0.264	2231	Allowed
6.5 x 55 Swedish Mauser	0.264	1983	Allowed
6.5 Grendel	0.264	1447	Allowed
.257 Weatherby Magnum	0.257	2675	Allowed
.25-06 Remington	0.257	2201	Allowed
6mm Creedmoor	0.243	2125	Allowed
.240 Weatherby Magnum	0.243	2099	Allowed
.243 Winchester	0.243	1958	Allowed
6mm Remington	0.243	1953	Allowed
6mm BR	0.243	1712	Allowed
.22 Creedmoor	0.224	1769	Allowed
.220 Swift	0.224	1766	Allowed
.22-250	0.224	1654	Allowed
.22 Nosler	0.224	1613	Allowed
.224 Valkyrie	0.224	1519	Allowed
.223 / 5.56	0.224	1499	Allowed
.222 Remington	0.224	1165	Allowed
.22 Hornet	0.224	680	Allowed

